

RESERVE POWER CHASSIS

The Globe Star components are actually capable of more than twice the necessary power, this, however, is preset at the factory to comply with F.C.C. regulations.

"RESERVE POWER CHASSIS" 16 tube performance utilizing one triple purpose tube, three dual purpose tubes, six single purpose tubes and four silicon rectifiers. This means the "STAR" will pull a signal better than any comparable unit. The components used in the transmitter section of the "STAR" were actually designed for more than twice the output power allowed. This provides a "RESERVE POWER" capability that means longer life and greater reliability. Crystal tolerance .005%. Full AM modulation.







GC ELECTRONICS CO.

DIVISION OF TEXTRON ELECTRONICS INC.

Los Angeles 18, Calif. • Rockford, Illinois, U.S.A.

GLOBE ELECTRONICS

SPECIFICATIONS

- Delivered complete ready to operate with 1 set of crystals, AC Line Cord, DC Power Cord, Microphone and Microphone Bracket, Power Mounting Installation Accessories for Mobile Use, F.C.C. license application and 90 day Warranty card.
- Unitized construction chassis . . . iridite plating.
- Hi level push-to-talk microphone with coil cord.
- Adaptable to 5 channels.
- Built to meet F.C.C. and Military Specifications.
- Adjustable squelch.
- 3x5 inch speaker delivering 3.5 watt output.
- Size 4½ x 9 x 9½ inches.
- Weight 13¼ pounds.

GC ELECTRONICS
COMPANY
DIVISION OF TEXTRON ELECTRONICS INC.
Los Angeles 18, Calif.
Rockford, Illinois, U.S.A.

Form FR-040-L

5 CHANNEL CRYSTAL CONTROLLED OPERATION

5 channel crystal controlled operation thru the utilization of the exclusive Globe 5 channel Selector Switch. Choice of 5 channels at your finger tips. Remember: Best Globe transceiver performance can be guaranteed only with Globe crystals. Your Distributor has them.

Warranty

GLOBE ELECTRONICS warrants each new product manufactured by it to be free from defective material and workmanship and agrees to remedy any such defeat or to furnish a new part in exchange for any part of any unit of its manufacture which under normal installation, use and service discloses such defect, provided the unit is delivered by the owner to our authorized Warranty SERVICE STATION, intact, for examination, with all transportation charges prepaid within ninety days from the date of sale to original purchaser and provided that such examination discloses in our judgement that it is thus defective.

Any part of a unit approved for remedy or exchange will be remedied by the authorized WARRANTY SERVICE STATION without charge to owner.

G. C. Electronics Co.
DIVISION OF TEXTRON ELECTRONICS INC.



other globe products...

There's a complete line of high quality Globe Citizens Band Installation accessories. Everything you need for the most efficient and proper mobile or base station installation.

Antennas . . . Mobile Whips . . . Suppressors . . . Condensers . . . base station and mobile mounts . . . cable assemblies . . . call letters . . . plugs and jacks

See your distributor or use this handy coupon

AVAILABLE LITERATURE

☐ **Citizens Band "Two Way Radio and You"**

Here's the book that tells the whole Citizens Band story from start to finish. What you can and can't do . . general information on noise control, installations and tuning up your gear. Complete with charts, graphs and over 75 illustrations, operating and maintenance suggestions, a CB lingo dictionary.

Everything is here for CB enthusiasts. Send $1.00

☐ **Free CB Catalog of GC Citizens Band Equipment and Accessories**

NAME _____

ADDRESS _____

CITY, STATE _____

DISTRIBUTED BY

GLOBE ELECTRONICS

...new star on the Citizens Band horizon...

the new GLOBE STAR X

FROM GLOBE...

PIONEERS IN C-B TRANSCEIVERS

Copyright 1962 • GC Electronics Company • Printed in U.S.A.

HI POWERED—ALL PURPOSE

GLOBE ELECTRONICS C-B TRANSCEIVER

totally new design!

MORE THAN A NEW MODEL...AN ENTIRELY NEW CONCEPT

ANYBODY CAN BROADCAST...EXAMINATIONS NOT REQUIRED

FCC OPERATOR'S LICENSE FREE UPON APPLICATION

OPERATES ON STANDARD

110 VOLT HOUSE CURRENT...6 OR 12 VOLT AUTOS

The first unqualified new design in the transceiver field. Dynamic new dual conversion, superhetrodyne circuitry eliminates adjacent channel interference . . . increases operating range. This is the very finest . . . in performance . . . in construction . . . in durability . . .

- Full A.M. modulation and adjustable squelch . . . this means quieter operation than ever before.
- High level, "push-to-talk" professional microphone with coil cord.
- Adaptability to 5 channels.
- Smartly styled Front Panel.
- 3x5 inch speaker delivery 3.5 watts output . . . assuring this top quality audio reception.
- Built to meet F.C.C., Military and Canadian specifications.
- Full 90 day warranty.
- Dual purpose circuitry offers 16 tube power . . . pulling a signal stronger than any comparable unit.
- Heavy duty unitized construction chassis . . . iridite plating . . . insuring maximum durability and repair free operation.
- Low loss coaxial fittings for maximum antenna power utilization.

MODEL NO.		CB NET
65-120	Star Transceiver complete ready to operate 12 volt model	159.95
65-122	Star Transceiver complete ready to operate 6 volt model	159.95

Note: both models operate on standard 110 volt household current.